

aseXML SCHEMA CHANGE REQUEST

1

PREPARED BY:	MIKE MUIR
DOCUMENT REF:	CR43
VERSION:	1. 2 3
DATE:	28 APRIL 201
DRAFT/FINAL	DRAFT

Australian Energy Market Operator Ud ABN 94 072 010 327

www.aemo.com.au info@aemo.com.au



Version Release History

Version	Date	Ву	Changes	
1.0	28/4/2011	Mike Muir	Creation of the MMSWindAvailabilityRequest transaction	
1.1	18/05/2011	Nandkumar Gaikwad (Nandu)	Modified the document, based on the document provided by Eddie Graham (AEMO), for addition of a new report request/response for MSATS Limits.	
1.2	23/05/2011	Chathruwan Rodrigo	Added NOS related aseXML schema changes.	
	27/05/2011	Nandkumar Gaikwad (Nandu)	Modified to reflect the changes made after ASWG feedback from ASWG meeting dated 20-May-2011	
	30/05/2011	Nandkumar Gaikwad (Nandu)	Reviewed and changed NOS portion based on discussion wit Chathruwan.	
<u>1.3</u>	<u>10/062011</u>	<u>Nandkumar</u> <u>Gaikwad (Nandu)</u>	Changed to make the sub-elements of complex type MT Pasa optional by defining 0 min-occurrences for them. Added examples for the same.	

Glossary

Abbreviation	Description
MMS	Market Management System is the name given to the system used by AEMO as part of the National Electricity Market
NEM	National Electricity Market



Contents

1	Change Proposal 3
1.1 1.1.1 1.1.2 1.1.3	Description of the proposed change 4 First change description 4 Second change description 4 Third change description 4
1.2	Reason for Change 4
1.3 1.3.1 1.3.2	Supplied Documents
1.4	Baseline Schema
2	Approval Proposal
2.1	Proposed Change #16
2.1.1 2.1.2 2.1.3 2.1.4 2.1.5	Draft schema
3	Proposal Assessment14
3.1 3.1.1 3.1.2 3.1.3 3.2	Test14Test Platforms14Test Cases15Test Results15Conformance Report15
4	Issue Register15
4.1	Status of Issues 15
5	Resolution15
5.1	ASWG Endorsement

1 Change Proposal

This Change Proposal consists of three independent changes. A brief background of the three is provided below.

- (1) A request has been received from a participant in the NEM to provide wind availability forecast data by file rather than by the existing web screens. AEMO has taken the view that such new file formats should reflect the industry strategy and follow the aseXML format.
- (2) A new report request and response format is to be introduced in MSATS to inform participants about the current status of their MSATS Limits.
- (3) TNSPs has decided to use different terminology for Certainty level in NOS bookings. This require aseXML schema change to accept TNSP booking requests without rejecting them from B2B. In addition Resubmit reason enumeration has been changed to accommodate "AEMO Request" rather than "NEMMCO Request" as part of the NEMMCO to AEMO name change.



1.1 Description of the proposed change

The proposed changes are listed in the following table.

ltem#	Change Description	Change Type ¹
1	New Complex Types MMSMtPasaWindAvailability	New
	MMSClusterWindAvailability	
	MMSUpperLimitsWindAvailability	
	MMSBidDetails	
	MMSWindAvailabilityRequest	
2	New Complex Types	New
	CATSMsatsLimitsReportParameters	
	CATSMsatsLimitsReportFormat	
	MsatsLimits	
	MsatsLimit	
	GroupMembers	
3	In EnumResubmitReasonType change enum value "NEMMCO Request" to "AEMO Request"	Modify
	In EnumCertaintyType, remove enum values "Outage scheduled", "System security assessed" and "Outage confirmed" and introduce "Scheduled", "Resourced" and "Confirmed"	

Table 1-1, Proposed Changes

1.1.1 First change description

Creation of a new MMSWindAvailabilityRequest transaction and associated complex types.

1.1.2 Second change description

Provide a new report request and response format to inform participants about the current status of their MSATS Limits.

1.1.3 Third change description

Accommodate new certainty levels agreed by TNSPs and accommodate NEMMCO to AEMO name change for an enumerated value of EnumResubmitReasonType

1.2 Reason for Change

1. **First Change : -** The NEM requires forecast wind plant production (MW) in a range of future timeframes from 5 minutes to 2 years. In order to get sufficient accuracy two items of forecast plant availability are required from the wind farm owner, the number of turbines available for generation, and the possibility of wind farm upper limit.

This data can be supplied to AEMO via a web screen that forces the plant owner to enter the data twice, once into their internal planning system and once into the MMS. To improve the efficiency by entering once and allowing bulk data transfers a file format is needed. This new transaction will allow for entering the forecast data by period (half hour) and by day.

• Enhancement, or

¹ Change Type can be one of

New



- 2. Second Change : This is to provide
 - A new report parameter type "CATSMsatsLimitsReportParameters" whose only element is "ReportName" which is mandatory.
 - A new report response format "CATSMsatsLimitsReportFormat" which contains the following elements:
 - "Participant" which is mandatory, cannot be empty and can appear only once.
 - o "Group" which is optional, cannot be empty and can appear only once.
 - "GroupMembers" which is optional, cannot be empty and can appear only once.
 - "Cr" which is mandatory, cannot be empty and can appear only once.
 - o "CrNotification" which is mandatory, cannot be empty and can appear only once.
 - "NsrdNotification" which is mandatory, cannot be empty and can appear only once.
 - "NsrdResponse" which is mandatory, cannot be empty and can appear only once.
 - "OutboxFile" which is mandatory, cannot be empty and can appear only once.
 - "Report" which is mandatory, cannot be empty and can appear only once.

3. Third change

- TNSPs has decided to use following values as Certainty,
 - o Scheduled
 - o Resourced
 - Confirmed
- Instead of the previous values
 - Outage scheduled
 - System security assessed
 - Outage confirmed
- Change resubmit reason type "NEMMCO Request" to "AEMO Request"

1.3 Supplied Documents

1.3.1 Business process definition

1.3.1.1 First Change :- The data flow is from a participant to the MMS. The wind availability data is in the form of an MMSWindAvailabilityRequest which is an aseXML Transaction. This is in the normal aseXML envelop with header and zipped into a file.

The intention is to use the AEMO Participant Batcher to do the message sending and reception via the electricity B2B hub with the participant id of the target being MMS. The acceptance of the wind availability data will be via the normal transaction acknowledgement mechanism. Refer to the aseXML Guidelines for a fuller discussion of the transaction sending and reception mechanism (<u>http://www.aemo.com.au/asexml/guidelines.html</u>).

Further details on usage will be provided as part of the MMS release cycle in change notice(s). In particular the nature of event codes, expected performance and sample gateway configuration.



- 1.3.1.2 Second Change :- Enhancement defect 7285 has been raised in Quality Centre under the MSystems Project for this purpose. This is about letting participants know of limits, relaxed CR limits, approaching limits etc
- 1.3.1.3 Third Change: Request from all TNSPs to change the certainty level in NOS to the new standard. Remove name NEMMCO from resubmit reason.

1.3.2 Other

aseXML_r28.zip

1.4 Baseline Schema

The schema used as a basis for this proposal aseXML_r27.zip

2 Approval Proposal

2.1 Proposed Change #1²

2.1.1 Draft schema

Please refer to the draft schema mentioned above attached to this change request. The base schema is aseXML_r27 and the files as detailed in the next section have been changed.

2.1.2 Change log

The following changes have been implemented in this draft:

Chg #	Item #	Description of change	Filename
1	1	Added EMMS as a new transaction group. Changed documentation.	Header_r28.xsd
2	1	Added MMSWindAvailabilityRequest to the list of Transactions.	Transactions_r28.xsd
3	1	New file ElectricityMMS_r28.xsd added contains new transaction and specific complex types	ElectricityMMS_r28.xsd
4	1,2,3	2,3 Updated schema namespace to urn:aseXML:r28, new aseXML_r28.xse include to refer to the file added, and changed the version numbers of modified files.	
5	1,2	Add new type r28 for new schema version	Events_r28.xsd
6	2	Added "CATSMsatsLimitsReportParameters" and "CATSMsatsLimitsReportFormat" types	CATSReports_r28
7	3	In EnumResubmitReasonType change enum value "NEMMCO Request" to "AEMO Request" In EnumCertaintyType, remove enum values "Outage scheduled", "System security assessed" and "Outage	NOSCommon_r28.xsd
		confirmed" and introduce "Scheduled", "Resourced" and "Confirmed"	
		File renamed from NOSCommon_r18.xsd to NOSCommon_r28.xsd	
8	3	Changed the version attribute to r28 for impacted versioned type NOSInfoResponse. Made the version attribute optional	NOSAssessment_r28

² This section may be repeated if more than one option is considered



		with default r28.	
9	3	Changed the version attribute to r28 for impacted versioned type NOSBookingSubmission. Made the version attribute optional with default r28.	NOSBooking_r28

Table 2-1 Change Log

2.1.3 Schema change description

2.1.3.1 Schema File Header

- EMMS Electricity Market Management System → annotation added
- <*xsd:enumeration value="EMMS"/> →* added to the TransactionGroup

2.1.3.2 Schema File Transactions

<xsd:element name="MMSWindAvailabilityRequest" type="MMSWindAvailabilityRequest"/>
 → added to Transaction

2.1.3.3 Schema File ElectricityMMS_r28.xsd

This is a new file containing the definitions for wind availability.

2.1.3.3.1 Complex types





Figure 2-2 MMSClusterWindAvailability







Figure 2-4 MMSUpperLimitsWindAvailability



Figure 2-5 MMSWindAvailabilityRequest



2.1.3.4 Schema File aseXml

- <xsd:include schemaLocation="Header_r28.xsd"> added the reference to the new schema
- <xsd:include schemaLocation="ElectricityMMS_r28.xsd">

<xsd:annotation>

<xsd:documentation>

Purpose - Include data types for Electricity MMS transactions

</xsd:documentation>

</xsd:annotation>

2.1.3.5 Schema File Events

<xsd:simpleType name="r28">

<xsd:annotation>

<xsd:documentation>Purpose - Release r28 identifier. This release contains
extensions for Electricity Market Management Systems</xsd:documentation>

</xsd:annotation>

<xsd:restriction base="ReleaseIdentifier">

<xsd:enumeration value="r28"/>

</xsd:restriction>

 $</xsd:simpleType> \rightarrow$ added reference to new schema version

2.1.3.6 Schema File CATSReports_r28.xsd

 Add new complex type "CATSMsatsLimitsReportParameters" derived from "BaseReportParameters" with optional attribute "version" of type "r28".



Generated by XMLSpy

www.altova.com

 Add new complex type "CATSMsatsLimitsReportFormat" derived from "BaseReportFormat" with mandatory element "MsatsLimits" of type "MsatsLimits".

CATSMsatsLimitsReportFormat	 MsatsLimits	9
Purpose - Format for a CATS MSATS Limits Report Report Name - MsatsLimits		

Generated by XMLSpy

www.altova.com



• Add new complex type "GroupMembers" with mandatory element "GroupMember" of type "Partyldentifier" which can appear more than once.



Generated by XMLSpy

www.altova.com

- Add new complex type "MsatsLimit" with
 - Choice of
 - Mandatory element "DefaultLimit" of type "xsd:integer" which can appear only once.
 - Mandatory element "LowerLimit" of type "xsd:integer" which can appear only once.
 - Mandatory element "UpperLimit" of type "xsd:integer" which can appear only once.
 - Mandatory element "ParticipantActual" of type "xsd:integer" which can appear only once.
 - Optional element "GroupActual" of type "xsd:integer" which can appear only once.
 - Mandatory element "StopFlag" of type "xsd:string" which can appear only once.



Generated by XMLSpy

www.altova.com

- Add new complex type "MsatsLimits" with
 - Mandatory element "Participant" of type "Partyldentifier" which can appear only once.
 - Optional element "Group" of type "Partyldentifier" which can appear only once.
 - Optional element "GroupMembers" of type "GroupMembers" which can appear only once.
 - Mandatory element "Cr" of type "MsatsLimit" which can appear only once.
 - Mandatory element "CrNotification" of type "MsatsLimit" which can appear only once.
 - Mandatory element "NsrdNotification" of type "MsatsLimit" which can appear only once.
 - Mandatory element "NsrdResponse" of type "MsatsLimit" which can appear only once.
 - Mandatory element "OutboxFile" of type "MsatsLimit" which can appear only once.
 - Mandatory element "Report" of type "MsatsLimit" which can appear only once.







</xsd:restriction> </xsd:simpleType>



2.1.4 Impact Summary

The change for Wind Availability is an addition of a completely new TransactionGroup and a Transaction, and there being no changes to existing simple/complex types/transactions, the change as such will have no impact on existing types and transactions.

The change for MSATS Limits is an addition of a completely new report request and there being no changes to existing simple/complex types/transactions, the change as such will have no impact on existing types and transactions.

The changes to the Certainty levels require changes to the TNSP software (Transend, Transgrid and Powerlink need to accommodate the change. Transgrid and Powerlink system are still under development)

Modified types	Derived types	Versioned types affected	Transactions potentially affected	Schema files affected
				Header_r28.xsd Transactions_r28.xsd ElectricityMMS_r28.xsd aseXML_r28.xsd Events_r28.xsd CATSReports_r28
EnumCertaintyType	BookingType	NOSInfoResponse NOSBookingSubmission	NOSInfoResponse NOSBookingSubmission	NOSCommon_r28.xsd NOSBooking_r28.xsd NOSAssessment_r28.xsd
EnumResubmitReasonT ype	BookingType NOSOutageType Outages	NOSInfoResponse NOSBookingSubmission	NOSInfoResponse NOSBookingSubmission	NOSCommon_r28.xsd NOSBooking_r28.xsd NOSAssessment_r28.xsd



2.1.5 Developer Test

2.1.5.1 Test Platforms

The new schema has been tested using the following platforms as advised by ASWG:

- XMLSpy 2011
- MSXML4 SP1
- Xerces 1.4.4 and 2.2.1

2.1.5.2 Test Cases

emmsh_63bigbigbig.xml \rightarrow contains many transactions

emmsh_63817bad.xml → is schema valid but application invalid

emmsh_6381723682176876.xml \rightarrow valid transaction

emmsh_63818_1.xml → Valid transaction without upper limit sub-element of MT Pasa

emmsh_63818_2.xml → Valid transaction without clusters sub-element of MT Pasa

MsatsLimits_ReportRequest.xml → contains an example of a request for MSATS Limits

 $MsatsLimits_ReportResponse_group.xml \rightarrow contains and example of a response to a participant who is part of a group for Limits purpose.$

MsatsLimits_ReportResponse_nogroup.xml \rightarrow contains and example of a response to a participant who is not part of a group for Limits purpose.

outghtransgpd_invalid_certainty.xml \rightarrow contains an example of an outage request with invalid certainty

outghtransgpd_invalid_resubmit_reason.xml \rightarrow contains an example of a resubmission with invalid resubmit reason

outghtransgpd_valid_certainty.xml \rightarrow contains and example of an outage with valid certainty

outghtransgpd_valid_resubmit_reason.xml \rightarrow contains an example of a resubmission with valid resubmit reason

3 Proposal Assessment

3.1 Test

The ASWG ensures that all recommended parsers on relevant platforms can successfully validate the proposed schema.

3.1.1 Test Platforms

Supplied samples have been tested using the following parsers:

- MSXML 4.0 SP1
- Xerces 1.4.1
- Xerces 2.2.1



• XMLSpy 2004

3.1.2 Test Cases

As per section 2.1.5.2

3.1.3 Test Results

<All OK... or note issues>

3.2 Conformance Report

The ASWG completes the conformance report validating each proposed new schema file against the published aseXML guidelines.

Schema Filename	Impacted by Item #	Conformance Details
aseXML_r28.xsd	1,2 and 3	<conforms non-conformance="" note="" or=""></conforms>
ElectricityMMS_r28.xsd	1	
Events_r28.xsd	1 and 2	
Transactions_r28.xsd	1	
Header_r28.xsd	1	
CATSReports_r28.xsd	2	
NOSCommon_r28.xsd	3	
NOSBooking_r28.xsd	3	
NOSAssessment_r28.x sd	3	

 Table 3-1, Change Proposal Conformance Details

4 Issue Register

This section describes any issues that have arisen and any modifications that are made to the original proposal during the Change Process

4.1 Status of Issues

Issue#	Item#	Description and Discussion	Status ³	Resolution
1	1			

Table 4-1, Issues list

5 Resolution

The ASWG votes for endorsement of the options identified in section 2, and the voting results are forwarded to AEMO for approval. When 75% of those ASWG members who voted endorse a specific option, this represents an ASWG Recommendation for that option. AEMO will not reject an ASWG Recommendation without first consulting with the ASWG.

³ Either 'Open' or 'Closed'



5.1 ASWG Endorsement

The results of the ASWG vote are as follows:

Date of Vote: <u>1??/07??/2011????</u>

Option	# Votes	% Vote
Option 1 (section 2.1)	<u>2</u>	<u>100</u>
Option 2 (section 2.2)		
Option # (section 2.#)		
Abstained		
Total Members Present	<u>3*</u>	

Table 5-1, ASWG Vote Results

*Includes chairperson who does voted except to break a tie.