



EMILIO

OrangeTek 




www.orangetek.co.uk




Draft Version V1.3
March 2020

Introducing Emilio



The Emilio is a catenary luminaire that works just as well pole mounted. It has been designed by the Swedish - Italian architect Carlo Diociaiuti to deliver outstanding lighting performance in an attractive aesthetic package. Emilio provides the strong urban presence with its unique way-finder lightband and will look great on the streets and in any city boulevards. Emilio uses the established Ignis technology, with numerous lenses available and lumen boost drivers to enable this versatile luminaire to be used in many configurations.



Measurement in millimetres.



Product Features



Tool Free Access



CLO Available



IP66



Upto IK08



ZEBRA lens available



Lumen Boost Tune lumen output



Preset Dimming



Surge Protection - 10kV 10kA MLV (clamping voltage) 1.2kV



Lightweight LM6 aluminium

Lantern Information

Weight	13kg	Lumen output range	970 - 14780 lumens	RA/CRI index	>70 Standard >80 Available	CCT	3000k, 4000k,	LX value	L90 > 100,000 hours	Lumens per watt	Upto 143 lm/w
Windage	Catenary mode: 0.15m ² Side entry mode : 0.15m ²										
RAL codes	Grey+White : RAL 7040+RAL9003										
Mounting sizes	Side entry 60, 48, 42mm Catenary wire ø5-ø12mm										

Photometry



Website



Visit: www.orange tek.co.uk
to find out more or call our sales Team
+44 (0)1283 347 792

All facts and figures correct at time of printing, subject to change.

