

IIR response template for IN003/20W (WA CDN and CDR) – Responses to be emailed to grcf@aemo.com.au by due **COB (AWST) Thursday 10 September 2020**.

Review comments submitted by: ATCO Gas

Date: 14 September 2020

Contact Person: Joe Sanches

Please complete sections 1 and 2.

Section 1 - General Comments on the Impact and Implementation Report

Topic	Please Provide Response Here
<p>Sections 1 to 9 of the IIR sets out <u>AEMO's critical examination of the proposal</u>.</p> <p>Does your organisation support AEMO's examination of the proposal?</p> <p>If no, please specify areas in which your organisation disputes AEMO's examination of the proposal and include information that supports your organisation's rationale for not supporting AEMO's examination.</p>	<p>ATCO supports AEMO's examination of the proposal. The uplift to schema r38 will require significant effort by ATCO to implement, we note the net benefits are likely derived by this initiative being included within AEMO's consolidated program of works for 2021.</p>
<p>Sections 10 and 11 of the IIR sets out <u>AEMO's recommendation</u>.</p> <p>Does your organisation support AEMO's position to recommend the procedure changes?</p>	<p>ATCO supports AEMO's position to recommend a procedure change to the ERA.</p>

Section 2 - Feedback on the documentation changes in the Attachments of the IIR.

Participants are to complete the relevant columns below in order to record their response.

Ref # 1 - AEMO Specification Pack - FRC B2B System Interface Definitions

RMP Clause #	Issue / Comment	Proposed text Red strikeout means delete and <u>blue underline</u> means insert	AEMO Response (AEMO only)

Ref # 2 - AEMO Specification Pack- Specification Pack Usage Guidelines

Section 3¹ – Additional feedback that is not part of this consultation but warrants further investigations / discussions.

Topic	Please Provide Response Here
Does your organisation have any feedback / suggestions that closely relate to the scope or impacts this consultation, but the nature of the feedback / suggestion warrant further investigations / discussion? If so, please included your feedback / suggestions.	

¹ Note - This feedback will be reviewed by AEMO at a later date, therefore will not be used for this consultation. AEMO will complete a preliminary assessment of the feedback assess the feedback and it may then form part of another consultation or the annual prioritisation process