

# CONSUMER DATA RIGHT (CDR) CONSULTATION – PART 1 – VARIOUS MINOR AMENDMENTS

## PROCEDURE CONSULTATION

## SECOND STAGE PARTICIPANT RESPONSE TEMPLATE

***Participant:***    *AGL*

***Submission Date:***    *15 Aug 2022*

## Table of Contents

1. Context	3
2. Feedback on proposed minor amendments	3

## 1. Context

This template is to assist stakeholders in giving feedback about the changes detailed in the second draft procedures associated with the Part 1 – Minor Amendments part of the consultation.

## 2. Feedback on proposed minor amendments

Document	Participant Comments
<p>1. For the enumerations lists in the procedures document, values such as 'Sample Tested' and 'Three-Phase Three-Limb', to be changed from mixed case to uppercase, to improve implementation and validation for both AEMO and Industry.</p>	<p>AGL supports the change</p>
<p>2. For the Voltage Transformer Type enumerations, to remove descriptions where they exist in brackets e.g. 'CVT (Capacitive Voltage Transformer)</p>	<p>AGL supports the change</p>
<p>3. Where Ratio enumerations exist, remove spaces between characters e.g. '3300 : 110' to '3300:110'</p>	<p>AGL supports the change; AGL notes that consistency in format/convention for ratios and other lists of enumerations should be reviewed - eg 200:1 vs 2000:01</p>
<p>4. 'INFORMATION' and 'STATISICAL' are to be truncated to 'STATIS' and 'INFORM' to fit within the 'USE' field 10 character max limit.</p>	<p>AGL supports the change, but notes Telstra's comment and agrees with their submission, that STATS would be more easily recognisable and less likely to be mixed up with status.</p>
<p>5. Alignment of character requirements across aseXML and the Standing Data for MSATs MSATS document by including a reference to the Australian Standards requirements, where relevant in the document applicable.</p>	<p>AGL supports the change but notes that a process will be required to monitor the standard for any changes which may impact MSATS.</p>

Document	Participant Comments
6. For the correction of the GPSCoordinates format, implemented in AGL supports the change as part of the r42 schema, to be reflected in the Standing Data for MSATs document: CATS_Meter_Register- Browser Cross Reference table.	AGL supports the change
7. For the truncated CurrentTransformerRatioAvailable and CurrentTransformerRatioConnected element names to be reflected in Table 4 CATS_Meter_Register – Browser Cross Reference.	AGL supports the change
8. For the VoltageTransformerTest aseXML path to be corrected to ElectricityMeter/VoltageTransformerTest in table 4 CATS_Meter_Register – Browser Cross Reference.	AGL supports the change
9. For GPS Coordinates of 0.00000 (5-7 decimal places), to align with the format specified in the NMI Standing Data Procedure, to be applied where no GPS coverage is available at the metering installation.	AGL supports the change
10. For the inclusion of missing Transformer Valid Values to be added to the Standing Data for MSATS document and for all values to be formatted from smallest to largest.	AGL supports the change – but questions if this list should also be removed from the procedures and made an external enumerated list as part of this process
11. The CATS Procedures to be updated to ensure that 'Meter Manufacturer' and 'Meter Model' are only required when the status code is 'C' (Current) for CR3050 and CR3051 transactions (CiP_061).	AGL supports the change
12. For the CATS Procedures to be updated to remove the CR6500/1 Change ROLR Completed Notification from the Change ROLR section to align with the WIGS Procedures	AGL supports the change
13. For the CATS Procedures to be updated for CRs (5001 & 5021) to include the NMI Classification of NCONUML as a classification code that have objections raised on it	AGL supports the change

<b>Document</b>	<b>Participant Comments</b>
14. Update the WIGS procedure for CR5021 to allow the ENLR (LR) to object.	AGL supports the change
15. Update the WIGS procedure to include BULK and XBOUNDARY to CR1500 to allow the MDP to send it to complete the CR.	AGL supports the change